

LED GLS

WOJ+14418

Smart light bulb, LED source GLS with the possibility of changes to the colour temperature of light (CCT), with the possibility of dimming (DIMM) and remote commissioning and control via app on your mobile device. It is an LED source, a light bulb with E-27 base and in the shape of a traditional glass bulb. It is characterised by a high light efficacy 136 lm/W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity

CCT

Power	5 W	Voltage	230 V
Luminous flux**	680 lm (360°)	Colour temperature	2700-6500 K
Colour of light	CCT	Beam angle	220 °
Socket	E27		

Technical data


Code	WQJ+14418
Power	5 W
Nominal current	44 mA
Voltage	230 V
Energy efficiency class	D
Energy consumption	5 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0,5
Useful luminous flux*	680 lm (360°)
Luminous flux**	680 lm (360°)
Lamp efficacy	136 lm/W
Colour temperature	2700-6500 K
Colour of light	CCT
Beam angle	220 °
RA	80
Uniformity of color SDCM max	5
Dimmable	SMART
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Dimension (AxBxC)	60 x 105 mm
For use	N,A
Made in	PRC
Other	max 16dbm ,

Related documents



 Declaration of Conformity



 Photometric file

