



CorePro LEDcapsule LV

CorePro LEDcapsuleLV 1.8-20W G4 827

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs without any compromise on light quality.

Product data

| General Information | |
|---------------------------------------|--------------------|
| Cap-Base | G4 [G4] |
| Nominal lifetime | 15,000 hour(s) |
| Switching Cycle | 50,000 |
| Lighting Technology | LED |
| Flux measurement reference | Sphere |
| | |
| Light Technical | |
| Color Code | 827 [CCT of 2700K] |
| Beam Angle (Nom) | 300 degree(s) |
| Luminous Flux | 205 lumen |
| Color Designation | Warm White (WW) |
| Correlated Color Temperature (Nom) | 2700 K |
| Luminous Efficacy (rated) (Nom) | 113.00 lm/W |
| Color Consistency | <6 |
| Color rendering index (CRI) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| | |
| Operating and Electrical | |
| Line Frequency | - Hz |
| | |

| Input Frequency | - Hz |
|------------------------------|--------------------|
| Power Consumption | 1.8 W |
| Lamp Current (Nom) | 260 mA |
| Wattage Equivalent | 20 W |
| Starting Time (Nom) | 0.5 s |
| Warm-up time to 60% light | 0.5 s |
| Power Factor (Fraction) | 0.6 |
| Voltage (Nom) | ac electronic 12 V |
| | |
| Temperature | |
| T-Case Maximum (Nom) | 80 °C |
| | |
| Controls and Dimming | |
| Dimmable | No |
| | |
| Mechanical and Housing | |
| Bulb Shape | Capsule |
| | |
| Approval and Application | |
| Suitable For Accent Lighting | No |
| | |


Datasheet, 2023, May 19 data subject to change

CorePro LEDcapsule LV

| Energy Consumption kWh/1000 h | 2 kWh | |
|----------------------------------|-------------------------------------|--|
| EPREL Registration Number | 374,873 | |
| CE mark | Yes | |
| EU RoHS compliant | Yes | |
| | | |
| Product Data | | |
| Full product code | 871869976765500 | |
| Order product name | CorePro LEDcapsuleLV 1.8-20W G4 827 | |


| Order code | 929002389002 |
|---------------------------------|-------------------------------------|
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 12 |
| Material number (12NC) | 929002389002 |
| Full product name | CorePro LEDcapsuleLV 1.8-20W G4 827 |
| EAN/UPC - Case | 8718699767662 |
| | |

Dimensional drawing




| Product | D | С |
|-------------------------------------|-------|-------|
| CorePro LEDcapsuleLV 1.8-20W G4 827 | 13 mm | 35 mm |


Photometric data



Spectral Power Distribution Colour - CorePro LEDcapsuleLV 1.8-20W G4 827





Light Distribution Diagram - CorePro LEDcapsuleLV 1.8-20W G4 827



CorePro LEDcapsule LV

Lifetime





Life Expectancy Diagram - CorePro LEDcapsuleLV 1.8-20W G4 827

Lumen Maintenance Diagram - CorePro LEDcapsuleLV 1.8-20W G4 827

