PHILIPS Lighting



A ↑ G

F

CorePro LEDspot PAR

CorePro LEDspot ND 9-60W 927 PAR38 25D

CorePro LEDspot PAR are a perfect fit for spot lighting and deliver warm halogenlike light. They are compatible with most existing fixtures with a E27 base and are designed as a retrofit replacement for halogen spots. CorePro LEDspot PAR deliver significant energy savings of up to 80% compared to traditional halogen lamps and provides comfortable lighting for your eyes. By offering a lifetime of 15,000 hours it lowers maintenance costs.

Product data

General Information		
	F27	
Cap-Base		
Nominal lifetime	15,000 hour(s)	
Switching Cycle	25,000	
Lighting Technology	LED	
Flux measurement reference	Narrow Cone	
Light Technical		
Color Code	927 [CCT of 2700K]	
Beam Angle (Nom)	25 degree(s)	
Luminous Flux	750 lm	
Luminous Intensity (Nom)	3,600 cd	
Color Designation	Warm White (WW)	
Correlated Color Temperature (Nom)	2700 K	
Luminous Efficacy (rated) (Nom)	83 lm/W	
Color Consistency	<6	
Color rendering index (CRI)	90	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Luminous Flux in 90° Cone (Rated)	750 lm	
Photobiological safety according to EN 62471	RG1	


Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	9 W
Lamp Current (Nom)	55 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	70 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	PAR38

CorePro LEDspot PAR


Net Weight (Piece)	0.300 kg
Approval and Application	
Energy Efficiency Class	F
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	9 kWh
EPREL Registration Number	1121744
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as p	er 1
EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Application Conditions	
can it be used in closed luminaires	No

Product Data		
Product Data		
Order product name	CorePro LEDspot ND 9-60W 927	
	PAR38 25D	
Full product name	CorePro LEDspot ND 9-60W 927	
	PAR38 25D	
Full product code	871951444342600	
Order code	929003485302	
Material Nr. (12NC)	929003485302	
Numerator - Quantity Per Pack	1	
EAN/UPC - Product/Case	8719514443426	
Numerator - Packs per outer box	6	
EAN/UPC - Case	8719514443433	

Dimensional drawing




Product	D	с
CorePro LEDspot ND 9-60W 927 PAR38 25D	122 mm	134 mm



Spectral Power Distribution Colour - CorePro LEDspot ND 9-60W 927 PAR38 25D


Photometric data



Accent Lighting Spots - CorePro LEDspot ND 9-60W 927 PAR38 25D


CorePro LEDspot PAR

Photometric data



Light Distribution Diagram - CorePro LEDspot ND 9-60W 927 PAR38 25D

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDspot ND 9-60W 927 PAR38 25D



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2025, March 17 - data subject to change