

# Standard 21 W 24 V BA15d

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



### **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

#### **Product family features**

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- Good quality thanks to German technology
- Normed light output

#### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting


\_



Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Test voltage	28.0 V	
Nominal wattage	21.00 W	
Nominal voltage	24.0 V	
Dimensions & weight		
Product weight	8.00 g	
Length	52.5 mm	
Diameter	27.0 mm	
Lifespan		
Lifespan Tc	350 h	
Lifespan B3	120 h	
Additional product data Base (standard designation)	BA15d	
· · ·	BA15d	
Base (standard designation)	BA15d P21W	
Base (standard designation) Certificates & standards		
Base (standard designation) Certificates & standards ECE category	P21W	
Base (standard designation) Certificates & standards ECE category British standard	P21W	
Base (standard designation) Certificates & standards ECE category British standard Logistical data	P21W 346	
Base (standard designation) Certificates & standards ECE category British standard Logistical data Order reference	P21W 346	
Base (standard designation) Certificates & standards ECE category British standard Logistical data Order reference Environmental information	P21W 346 N346	
Base (standard designation) Certificates & standards ECE category British standard Logistical data Order reference Environmental information Date of Declaration	P21W 346 N346 19-01-2022	

## **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N346	4008321770714	Folding box	10



Datasheet NEOLUX | 2023-01-05



NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com