

SYSTEM SHIFT ASIMETRIC

WLD+40052

See
more

On track luminaire SYSTEM SHIFT ASIMETRIC, with a power of 6 W, high light efficacy 100 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 70° gives directional light so that selected objects or surfaces can be better exposed. Designed to be mounted on a track.




Power	6 W	Voltage	48 V
Colour temperature	3000 K	Colour of light	WW
Beam angle	70 °	Degree of protection (IP)	IP20

Technical data

Code	WLD+40052
Power	6 W
Nominal current	90 mA
Voltage	48 V
Energy consumption	6 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	600 lm (360°)
Luminous flux**	200 lm (360°)
Lamp efficacy	100 lm/W
Luminous intensity	170 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	70 °
RA	>90
Light source included	Yes
Uniformity of color SDCM max	5
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Czarny
Dimension (AxBxC)	110x23x42 mm
For use	Inside
Assembly method	NA SZYŃE
Application	Inside
Made in	PRC

Related documents



 User manual



 Declaration of Conformity



 Photometric file

