

PRODUCT-DETAILS

GSB261

2-PC INNER SLV CONN BLUE I.D. 0.261



Algemene informatie

Type	GSB261
Artikelnummer	7TAI029070R0027
EAN	5414363113805
Omschrijving	2-PC INNER SLV CONN BLUE I.D. 0.261
Omschrijving	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 5/16 Inch/7.9mm, Inner Diameter .261 Inches/6.63mm, Outer Diameter .297 Inches/7.54mm, Color Blue, Hard Bronze, Tin Plated

Ordering

EAN	5414363113805
UPC	786210813202
Land van herkomst	United States (US)
Verkoopenheid van maat	each

Container Information

Pakketniveau 1 Units	1000 stuk
Pakketniveau 1 Breedte	4 in 102 mm
Pakketniveau 1 Hoogte	3 in 76 mm

Pakketniveau 1 Lengte	4 in 102 mm
Pakketniveau 2 Units	10000 stuk
Pakketniveau 2 Breedte	8.5 in 216 mm
Pakketniveau 2 Hoogte	3.5 in 89 mm
Pakketniveau 2 Lengte	21.5 in 546 mm

Additional Information

Merk / Label	Sta-Kon
Kleur	Blue
Ingangsdatum	19680516
Materiaal	Hard Bronze
Productnaam	STA-KON AND CATAMOUNT TERMINAL
Producttype	Two-Piece Inner Sleeve Connector
Speciale functies	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
Sub Brand / Label	Shield-Kon

Certificates and Declarations

Gegevensblad, technische informatie	GSB261
-------------------------------------	--------

Classifications

ETIM 6	EC002650 - Aansluiting voor afgeschermdde kabels
ETIM 7	EC002650 - Connection for screened wires
ETIM 8	EC002650 - Aansluiting voor afgeschermdde kabels
UNSPSC	39121432
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	4603 >> Electrical terminals

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Compressie- en mechanische aansluitingen

