


PRODUCT DATASHEET

TRUSYS FLEX FEED IN 8P

TruSys® FLEX FEED-IN CONNECTOR | Feed-In connector for mounting rail



Product features


- Toolfree feed-In 5 and 8 poles connector



TECHNICAL DATA

Dimensions & Weight

Length	54 mm
Width	27.0 mm
Height	14.0 mm
Product weight	15.00 g



TRUSYS FLEX FEED IN 8P

Materials & Colors

Product color	White
Body material	Polyamid (PA)



Application & Mounting





Mounting location	Mounting rail
-------------------	---------------

Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC
-----------	-----------------------------

DOWNLOAD DATA

Documents and certificates	Document name
 User instruction / safety instructions	TRUSYS FLEX P RAIL
 Legal information	Informationstext 18 Abs 4 ElektroG

Documents and certificates		Document name
	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX
	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX
	Declarations of conformity UKCA	TRUSYS FLEX
Tender texts		Document name
	Tender documents	TruSys FLEX FEED-IN CONNECTOR FEED IN 8P-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075781955	BAG 1	94 mm x 155 mm x 1 mm	22.00 g	0.01 dm ³
4058075781962	Shipping box 300	440 mm x 440 mm x 260 mm	7010.00 g	50.34 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.