

# PRODUCT DATASHEET TRUSYS FLEX SPOT TRACK 1500 WT

TruSys® FLEX SPOT TRACK | Track rail insert for mounting spot lighting



#### **Product benefits**

- Suitable for LEDVANCE Trackspots
- Up to 3 track spots can be installed

#### **Product features**


- 150 cm insert with a 90 cm track rail in powergear layout



## **TECHNICAL DATA**

# Dimensions & Weight

Length	1500 mm
Width	70.0 mm
Height	15.2 mm
Product weight	1600.00 g



## Materials & Colors

Product color	White
Body material	Aluminium

# Application & Mounting

Mounting location	Mounting rail
-------------------	---------------

# Certificates & Standards

Standards CE / CB / UKCA / ENEC / EAC
---------------------------------------

## DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	Ul Trusys Flex Spot Track
PDF	Legal information	Legal insert TRUSYS FLEX Sensor Track
PDF	Legal information	Informationstext 18 Abs 4 ElektroG
PDF	Declarations of conformity	CE Declaration of Conformity TRUSYS FLEX

	Documents and certificates	Document name
PDF	Declarations of conformity UKCA	UKCA Declaration of Conformity TRUSYS FLEX
	CAR /RNA (I	
	CAD/BIM files	Document name
	CAD STEP 3D	TruSys FLEX SPOT TRACK
	Tender texts	Document name
	Tender documents	TruSys FLEX SPOT TRACK SPOT TRACK 1500 WT-EN

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782051	Folding box 1	1,531 mm x 102 mm x 76 mm	1893.00 g	11.87 dm <sup>3</sup>
4058075782068	Shipping box 4	1,541 mm x 214 mm x 167 mm	8672.00 g	55.07 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.