



CorePro LEDcapsule MV



CorePro LEDcapsule 3.7-40W ND G9 830

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap-Base	G9
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	320 degree(s)
Luminous Flux	470 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	127 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG0

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power Consumption	3.7 W
Lamp Current (Nom)	32 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	105 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	G9


Datasheet, 2025, March 5 data subject to change

CorePro LEDcapsule MV

Net Weight (Piece)	0.009 kg	
Approval and Application		
Energy Efficiency Class	E	
Suitable For Accent Lighting	No	
Energy Consumption kWh/1000 h	4 kWh	
EPREL Registration Number	1932581	
EU RoHS compliant	Yes	
EyeComfort	Yes	
Flickering value (PstLM) - Flickering value as per 1		
EN 61000-3-3		
Stroboscopic effect visibility measure (SVM)	0.4	
Ambient temperature range	-20 to +45 °C	
Application Conditions		
can it be used in closed luminaires	No	


Product Data	
Order product name	CorePro LEDcapsule 3.7-40W ND G9
	830
Full product name	CorePro LEDcapsule 3.7-40W ND G9
	830
Full product code	872016930187000
Order code	929003790902
Material Nr. (12NC)	929003790902
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169301870
Numerator - Packs per outer box	12
EAN/UPC - Case	8720169301887


Dimensional drawing




Product	D	С
CorePro LEDcapsule 3.7-40W ND G9 830	16 mm	52 mm

Photometric data








Light Distribution Diagram - CorePro LEDcapsule 3.7-40W ND G9 830


CorePro LEDcapsule MV


Photometric data



Spectral Power Distribution Colour - CorePro LEDcapsule 3.7-40W ND G9 830

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDcapsule 3.7-40W ND G9 830



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.