

PRODUCT-DETAILS

ZLS203E106

ZLS203E106 Busbar



General Information

Extended Product Type	ZLS203E106
Product ID	2CCF800267R0001
EAN	7612270017256
Catalog Description	ZLS203E106 Busbar
Long Description	Auxiliary busbar 40A LA, LB 5x2mm galvanic plated for SMISLINE TP-Touch proof system PLE106

Technical

Standards	IEC/EN 61439-6
Type of Residual Current	standard version
Rated Operational Voltage	690/1000 V AC/DC
Rated Current (I_n)	40 A
Surface Finishing	Tinned
Options Provided	Busbar LA, LB
Model Number	Flat

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107991A9646
Environmental Information	9AKK108467A9561
Conflict Minerals Reporting Template	9AKK108468A3363

(CMRT)

Dimensions

Product Net Width	5 mm
Product Net Height	2 mm
Product Net Depth / Length	1904 mm
Product Net Weight	170 g
Dimension Diagram	9AKK107492A6192

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	206 g

Certificates and Declarations

Declaration of Conformity - CE	9AKK107991A9646
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK107680A2315
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107492A6192
-----------------------------------	-----------------

Classifications

ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389040
eClass	V11.0 : 27370303
Object Classification Code	W

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems → Plug-in Distribution Systems Accessories → Accessories for Plug-in Distribution Systems 125A

