PHILIPS Lighting



CorePro LEDcapsule MV

CorePro LEDcapsuleMV 4-40W G9 827 D

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information		
Cap-Base	G9 [G9]	
Nominal lifetime	15,000 hour(s)	
Switching Cycle	50,000	
Lighting Technology	LED	
Flux measurement reference	Sphere	
Light Technical		
Color Code	827 [CCT of 2700K]	
Luminous Flux	480 lumen	
Color Designation	Warm White (WW)	
Correlated Color Temperature (Nom)	2700 K	
Luminous Efficacy (rated) (Nom)	120.00 lm/W	
Color Consistency	<6	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	


Power Consumption	4 W
Lamp Current (Nom)	24 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	86 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	Capsule
Approval and Application	
Suitable For Accent Lighting	No

CorePro LEDcapsule MV

Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	374,869
CE mark	Yes
EU RoHS compliant	Yes
Product Data	
Full product code	871869976673300
Order product name	CorePro LEDcapsuleMV 4-40W G9 827 D


Order code	929002390002	
Numerator - Quantity Per Pack	1	
Numerator - Packs per outer box	12	
Material number (12NC)	929002390002	
Full product name	CorePro LEDcapsuleMV 4-40W G9 827 D	
EAN/UPC - Case	8718699766740	

Dimensional drawing



Product	D	с
CorePro LEDcapsuleMV 4-40W G9 827 D	18 mm	59 mm

Photometric data




Spectral Power Distribution Colour - CorePro LEDcapsuleMV 4-40W G9 827 D

		1 x 9290823990 4W 2708K
		1 x 400 km
Peter Instity Bagrass	Quanty estimation degree	UGR degran
XX	Jan Malancia Malanta Jan Malancia Malanta	
0360	·	
1XXI		
XIX		
1990 C	Uniconference	Commence Table
Television 1.0 Without 1.0 Without 1.0	Manager Street and an annual state	
Otras (4710)		
the second of the		

Philips Lighting B.X.

Der 11


Proventice 4



Light Distribution Diagram - CorePro LEDcapsuleMV 4-40W G9 827 D

CorePro LEDcapsule MV

Lifetime



Life Expectancy Diagram - CorePro LEDcapsuleMV 4-40W G9 827 D

Lumen Maintenance Diagram - CorePro LEDcapsuleMV 4-40W G9 827 D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 19 - data subject to change