


ARIESA MAX

WQJP11087

LED luminaire ARIESA MAX, with a power of 27 W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. Narrow beam angle 60° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.



Power **27 W**
Colour temperature **CHEESE K**
Beam angle **60 °**

Voltage **230 V**
Colour of light **CHEESE**
Degree of protection (IP) **IP20**

Technical data

| | |
|------------------------------|----------------|
| Code | WQJP11087 |
| Power | 27 W |
| Nominal current | 129 mA |
| Voltage | 230 V |
| Energy consumption | 27 kWh/1000h |
| Frequency | 50HZ Hz |
| Protection class | II |
| Power supply included | + |
| Manufacturer of power supply | BRIDGELUX |
| Power factor | 0.93 |
| Useful luminous flux* | 2565 lm (360°) |
| Luminous flux** | 2295 lm (360°) |
| Lamp efficacy | 95 lm/W |
| Colour temperature | CHEESE K |
| Colour of light | CHEESE |
| Beam angle | 60 ° |
| RA | 90 |
| Light source included | Yes |
| Producer of LED diodes | CITIZEN |
| Uniformity of color SDCM max | 3 |
| Working temperature range | -20/+40 ° |
| Lifespan | 50000 h |
| Housing material | Aluminum |
| Degree of protection (IP) | IP20 |
| Colour | White |
| Dimension (AxBxC) | 310x110 mm |
| Mounting hole | Ø260 mm |
| For use | Inside |
| Assembly method | Recessed |
| Application | Inside |
| Made in | PL |

