

BRANTA METALICA

W0JP06801

LED luminaire BRANTA METALICA, with a power of 27 W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>95. Narrow beam angle 36° gives directional light so that selected objects or surfaces can be better exposed. Designed to be mounted on a track.





| Power | 27 W | Voltage | 230 V |
|---------------------------|-------|------------|-------|
| Colour of light | BREAD | Beam angle | 36 ° |
| Degree of protection (IP) | IP20 | | |

www.spectrumled.pl



Technical data

| Code | W0JP06801 | |
|------------------------------|----------------|--|
| Power | 27 W | |
| Nominal current | 129 mA | |
| Voltage | 230 V | |
| Energy consumption | 27 kWh/1000h | |
| Frequency | 50HZ Hz | |
| Protection class | I | |
| Power supply included | + | |
| Manufacturer of power | TCI | |
| supply | 0.00 | |
| Power factor | 0.93 | |
| Useful luminous flux* | 2565 lm (360°) | |
| Luminous flux** | 2295 lm (360°) | |
| Lamp efficacy | 95 lm/W | |
| Colour of light | BREAD | |
| Beam angle | 36 ° | |
| RA | 95 | |
| Light source included | + | |
| Producer of LED diodes | CITIZEN | |
| Uniformity of color SDCM max | 3 | |
| Dimmable | OPC | |
| Working temperature range | -20/+40 ° | |
| Lifespan | 50000 h | |
| Housing material | Aluminum | |
| Degree of protection (IP) | IP20 | |
| Colour | Black | |
| Dimension (AxBxC) | 90x200x165 mm | |
| For use | Inside | |
| Assembly method | on track | |
| Application | Inside | |
| Made in | PL | |
| | | |