



MASTER PL-C 4 Pin

MASTER PL-C 13W/827/4P 1CT/5X10BOX

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 4-pin version is designed for operation on electronic HF control gear with integrated pre-heat and is provided with a plug-in/pull-out lamp base.

Warnings and Safety

- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position as well as applied HF control gear
- · Shorter lamp life when often switching and not well pre-heated electrodes
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information				
Cap-Base	G24Q-1 [G24q-1]			
Flux measurement reference	Sphere			
Light Technical				
Color Code	827 [CCT of 2700K]			
Luminous Flux	925 lumen			
Color Designation	Incandescent White			
Chromaticity Coordinate X (Nom)	0.463			
Chromaticity Coordinate Y (Nom)	0.42			
Correlated Color Temperature (Nom)	2700 K			
Luminous Efficacy (rated) (Nom)	69 lm/W			
	·			

Color rendering index (CRI)	82
Operating and Electrical	
Power Consumption	13.8 W
Lamp Current (Nom)	0.170 A
Controls and Dimming	
Dimmable	Yes
Approval and Application	
Mercury (Hg) Content (Max)	1.4 mg
Mercury (Hg) Content (Nom)	1.4 mg
Energy Consumption kWh/1000 h	14 kWh


Datasheet, 2023, May 15 data subject to change

MASTER PL-C 4 Pin

EPREL Registration Number	423,298				
Product Data					
Full product code	871150062326370 MASTER PL-C 13W/827/4P 1CT/5X10BOX				
Order product name					
Order code	927907182740				
Numerator - Quantity Per Pack	1				


Numerator - Packs per outer box	50 927907182740 MASTER PL-C 13W/827/4P 1CT/5X10BOX		
Material number (12NC)			
Full product name			
EAN/UPC - Case	8711500715715		

Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-C 13W/827/4P 1CT/	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm
5X10BOX					


Photometric data



Spectral Power Distribution Colour - MASTER PL-C 13W/827/4P 1CT/5X10BOX

Lifetime





Life Expectancy Diagram - MASTER PL-C 13W/827/4P 1CT/5X10BOX

Life Expectancy Diagram - MASTER PL-C 13W/827/4P 1CT/5X10BOX

MASTER PL-C 4 Pin

Lifetime



Lumen Maintenance Diagram - MASTER PL-C 13W/827/4P 1CT/5X10BOX



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.