

Standard 5 W 24 V BA15d

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- · Good quality thanks to German technology
- Normed light output

Areas of application

- Position and parking light
- · Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Product datasheet




| Application (Category and Product specific) | Auxiliary lamp | |
|---|--------------------|--|
| Electrical data | | |
| Power input | 7 W | |
| Test voltage | 28.0 V | |
| Power input tolerance | ±10 % | |
| Nominal wattage | 5.00 W | |
| Nominal voltage | 24.0 V | |
| Photometrical data | | |
| Luminous flux | 50 lm | |
| Luminous flux tolerance | ±25 % | |
| Dimensions & weight | | |
| Product weight | 7.00 g | |
| Length | 37.5 mm | |
| Diameter | 16.0 mm | |
| Lifespan | | |
| Lifespan Tc | 225 h | |
| Lifespan B3 | 80 h | |
| Additional product data | | |
| Base (standard designation) | BA15d | |
| Certificates & standards | | |
| ECE category | R5W | |
| British standard | 150 | |
| Logistical data | | |
| Order reference | N150 | |
| | .==== | |
| Environmental information | | |
| Date of Declaration | 19-01-2022 | |
| Drimon, Article Identifier | 4008321770745 | |
| | No declarable | |
| Primary Article Identifier Candidate List Substance 1 | substances contain | |

Packaging Information

| Packaging description NEOLUX | EAN | Packaging type | Amount of article |
|---------------------------------|---------------|----------------|-------------------|
| N150 | 4008321770745 | Folding box | 10 |

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com