



# MASTERCoulour CDM-R Elite

## MC CDM-R Elite 35W/930 E27 PAR30L 30D

Compact, very high-efficiency, long-life Ceramic Metal Halide discharge reflector lamp producing crisp white sparkling light with high color rendering

### Warnings and Safety

- Use only with electronic control gear
- Control gear must include end-of-life protection (IEC61167, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### Product data


Operating and Electrical		Luminous Intensity (Nom)	
Power Consumption	39.1 W		8,000 cd
Warm-up time to 60% light	120 s	Color Designation	Warm White (WW)
Voltage (Nom)	88 V	Chromaticity Coordinate X (Nom)	0.434
Voltage (Nom)	88 V	Chromaticity Coordinate Y (Nom)	0.398
General Information		Correlated Color Temperature (Nom)	3000 K
Cap-Base	E27 [E27]	Luminous Efficacy (rated) (Nom)	69 lm/W
Operating Position	UNIVERSAL [Any or Universal (U)]	Color rendering index (CRI)	91
Switching Cycle	1,350	LLMF At End Of Nominal Lifetime (Nom)	80 %
Flux measurement reference	Narrow Cone	Luminous Flux in 90° Cone (Rated)	2,400 lumen
Light Technical		Controls and Dimming	
Color Code	930 [CCT of 3000K]	Dimmable	No
Beam Angle (Nom)	30 degree(s)	Mechanical and Housing	
Luminous Flux	2,400 lumen	Bulb Finish	Clear

# MASTERC colour CDM-R Elite

Bulb Shape	PAR30L [PAR 3.75 inch/95mm Long]
<b>Approval and Application</b>	
Mercury (Hg) Content (Max)	4.7 mg
Mercury (Hg) Content (Nom)	4.7 mg
Energy Consumption kWh/1000 h	40 kWh
EPREL Registration Number	473,363
<b>Product Data</b>	
Full product code	871829124194200



Order product name	MC CDM-R Elite 35W/930 E27 PAR30L 30D
Order code	928108200630
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material number (12NC)	928108200630
Full product name	MC CDM-R Elite 35W/930 E27 PAR30L 30D
EAN/UPC - Case	8718291241959

## Dimensional drawing



Product	D (max)	C (max)
MC CDM-R Elite 35W/930 E27 PAR30L 30D	97 mm	123 mm

## Photometric data




Light Distribution Diagram - MC CDM-R Elite 35W/930 E27 PAR30L 30D


Spectral Power Distribution Colour - MC CDM-R Elite 35W/930 E27 PAR30L 30D

# MASTERCcolour CDM-R Elite

## Lifetime



Life Expectancy Diagram - MC CDM-R Elite 35W/930 E27 PAR30L 30D



Lumen Maintenance Diagram - MC CDM-R Elite 35W/930 E27 PAR30L 30D

