

Standard 21/5 W 12 V W3x16q

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting




N580

Application (Category and Product specifi	c) Auxiliary	lamp	
	<u>. </u>		
Electrical data			
Test voltage	13.5 V		
Nominal wattage	21/5 W		
Nominal voltage	12.0 V		
Dimensions & weight			
Product weight	6.80 g		
Length	47.5 mm		
Diameter	20.0 mm		
Lifespan			
Lifespan Tc	3000 h	3000 h	
Lifespan B3	400 h	400 h	
Additional product data	117 47		
Base (standard designation)	W3x16q		
Certificates & standards			
ECE category	W21/5W	W21/5W	
British standard	580	· · · · · · · · · · · · · · · · · · ·	
Locistical data			
Logistical data Order reference	N580		
	10500		
Environmental information			
Date of Declaration	19-01-20	19-01-2022	
Primary Article Identifier		4008321768377	
		4052899346666 4055462259417	
		4055462301130	
Candidate List Substance 1	No decla	No declarable	
	substance	substances contained	
Declaration No. in SCIP database	In work		
Packaging Information			
Packaging description EAN	Packaging type	Amount o	

4008321768377 Folding box

10





NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com