

# Standard 21 W 12 V BAU15s



# **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

#### **Product family features**

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

#### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

# **Product datasheet**





Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	25 W	
Test voltage	13.5 V	
Power input tolerance	±6 %	
Nominal wattage	21.00 W	
Nominal voltage	12.0 V	
Photometrical data		
Luminous flux	280 lm	
Luminous flux tolerance	±20 %	
Dimensions & weight		
Diameter	25.0 mm	
Product weight	8.00 g	
Length	52.6 mm	
Lifespan		
Lifespan Tc	320 h	
Lifespan B3	120 h	
Additional product data		
Base (standard designation)	BAU15s	
Certificates & standards		
ECE category	PY21W	
British standard	581	
Logistical data		
Order reference	N581	
Environmental information		
Date of Declaration	19-01-2022	
Primary Article Identifier	4006584670383   4008321770509   4008321770899   4008321781079   4008321842732   4055462031266   4055462300928   4055462352356   4062172200943	
Candidate List Substance 1	No declarable substances contained	


# **Packaging Information**

Declaration No. in SCIP database

EAN	Packaging type	Amount of article
4008321770509	Folding box	10
4008321781079	Blister	2
	4008321770509	4008321770509 Folding box

In work

# **Product datasheet**





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com