



CorePro LEDspot MV

CorePro LEDspot 4-50W GU10 830 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

Product data

General Information	
Cap-Base	GU10 [GU10]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	345 lumen
Luminous Intensity (Nom)	700 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	86 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	345 lumen
Operating and Electrical	
Line Frequency	50 to 60 Hz

Input Frequency	50 to 60 Hz
Power Consumption	4 W
Lamp Current (Nom)	23 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.84
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	70 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Shape	PAR16 [PAR 2 inch/50mm]
Approval and Application	
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	391,911


Datasheet, 2023, May 19 data subject to change

CorePro LEDspot MV

CE mark	Yes	
EU RoHS compliant	Yes	
Product Data		
Full product code	871951435883600	
Order product name	CorePro LEDspot 4-50W GU10 830 36D DIM	
Order code	929002068302	


Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929002068302
Full product name	CorePro LEDspot 4-50W GU10 830 36D DIM
EAN/UPC - Case	8719514358843


Dimensional drawing



Product	D	С
CorePro LEDspot 4-50W GU10 830 36D DIM	50 mm	54 mm


Photometric data





Spectral Power Distribution Colour - CorePro LEDspot 4-50W GU10 830 36D DIM


Light Distribution Diagram - CorePro LEDspot 4-50W GU10 830 36D DIM




Chicalast Proconcesco 45 Philips Lighting EX Page 57

CorePro LEDspot MV

Lifetime





Life Expectancy Diagram - CorePro LEDspot 4-50W GU10 830 36D DIM

Lumen Maintenance Diagram - CorePro LEDspot 4-50W GU10 830 36D DIM

