

PRODUCT DATASHEET 64361 HLX-A150-15

Halogen lamps, current-controlled with PK30d base | Halogen lamps, current-controlled with PK30d base



TECHNICAL DATA

Electrical data

Nominal wattage	150 W
Construction wattage	150.00 W
Nominal voltage	22.7 V

Photometrical data

Luminous flux	3600 lm
Luminous efficacy	24 lm/W
Color temperature	3100 К
Color rendering index Ra	100
Light color	1031

Dimensions & Weight

Overall length	58.00 mm
Length with base excl. base pins/connection	35,00 mm
Light center length (LCL)	20,0 mm
Diameter	13,5 mm
Product weight	0.00 g

Lifespan

Lifespan 1500 h

Additional product data

Base (standard designation)	PK30d

Capabilities

Burning position \$90

Country-specific categorizations

Order reference	64361 HLX
-----------------	-----------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	PK30d
Length	58.00 mm
Height	13,5 mm
Width	13,5 mm

Safety advice

- To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms

(protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

DOWNLOAD DATA

	DOWNLOAD DATA
PDF	PRODUCT DATASHEET
PDF	Advertisements

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321345691	Folding box 1	71 mm x 33 mm x 37 mm	20.50 g	0.09 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For more information on airfield lamps see the brochure: "The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.