Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's | name o | r trade mark: | PHILIPS |
|------------|--------|---------------|---------|
|------------|--------|---------------|---------|

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

| Model identifier: | 8718696646106 |
|-------------------|---------------|
|-------------------|---------------|

| _ | • | | | |
|------|----|-------|--------|-----|
| Tyna | Λt | lioht | source | ٠. |
| IVDE | vı | HEILL | JUUILE | - • |

| MH | Non-directional or directional: | NDLS |
|------|---------------------------------|--|
| E40 | | |
| | | |
| NMLS | Connected light source (CLS): | No |
| No | Envelope: | No |
| No | | |
| No | Dimmable: | No |
| | E40 NMLS No No | NMLS Connected light source (CLS): No Envelope: No |

Product parameters

| Parameter | | Value | Parameter | Value |
|-----------------------------------|--|----------------------------|--|--------------|
| | | General product p | arameters: | |
| | mption in on- 100 h), rounded st integer | 361 | Energy efficiency class | F |
| indicating if it r in a sphere (3 | us flux (фuse), efers to the flux 60º), in a wide n a narrow cone | 35 400 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 4 200 |
| On-mode prespressed in W | oower (P _{on}), | 361,0 | Standby power (P _{sb}), expressed in W and rounded to the second decimal | 0,00 |
| for CLS, expres | dby power (P _{net}) ssed in W and second decimal | - | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set | 88 |
| Outer | Height | 257 | Spectral power | See image |
| dimensions | Width | 47 | distribution in the | in last page |
| without | Depth | 47 | | |

| separate control gear, lighting control parts and non- lighting control parts, if any (millimetre) | range 250 nm to 800 nm, at full-load | |
|--|--------------------------------------|----------------|
| Claim of equivalent power ^(a) | - If yes, equivalent power (W) | - |
| | Chromaticity coordinates (x and y) | 0,371 0,366 |

(a)'-': not applicable; (b)'-': not applicable;

