

Produktdetails

# TSN/U-CG

# TSN/U-CG ROS/NO



## Allgemeine Informationen

Typ	TSN/U-CG
Bestellnummer	2CKA006300A1653
EAN	4011395297377
Beschreibung	TSN/U-CG ROS/NO
Langbeschreibung	Ordering possible only in connection with the design ID. Makes possible the individual configuration via a web configuration tool: <a href="http://tacteo-configurator.my.busch-jaeger.de">tacteo-configurator.my.busch-jaeger.de</a> . Individual configuration with logos and/or ICONs and/or colours according to customer specifications. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. With backlit room number. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Additional power supply must be connected via enclosed terminal block, e.g. yellow/white wires in bus connection.

## Installation / Montage

Betriebs- und Montageanleitung	No document needed
--------------------------------	--------------------

## Technische Daten

Datenblatt, technische Information	No document needed
Unterstützte Bussysteme	KNX (TP)

Produktreihe	KNX
Schalterdesign	tacteo
Montageart	Surface Mounted
Batteriegewicht	0 g
Anwendungsbereich	Hotelanwendungen

## Umwelt

Umgebungstemperatur	(Betrieb) -5 ... +45 °C
Schutzart	IP20
RoHS Status	nach EU Richtlinie 2002/95/EC August 18, 2005 und Ergänzungen
RoHS Information	9AKK104295D8727
REACH Erklärung	2CKA309999E9999

## Abmessungen

Nettogewicht	327 g
--------------	-------

## Bestelldaten

Mindestbestellmenge	1 Stück
Menge Verpackungseinheit 1	Karton 1 Stück
Bruttogewicht Verpackungseinheit 1	0.327 kg
Zolltarifnummer	85365080
Herkunftsland	Deutschland (DE)

## Zertifikate und Deklarationen

Konformitätserklärung - CE	2CKA100000E4202
-------------------------------	-----------------

## Klassifizierungen

ETIM 8	EC000782 - Bussystem-Zutrittskontrollleinrichtung
ETIM 9	EC000782 - Bussystem-Zutrittskontrollleinrichtung
WEEE Kategorie	5. Geräte, bei denen keine der äußeren Abmessungen mehr als 50 cm beträgt (Kleingeräte)
WEEE B2C / B2B	B2C
CN8	8536 50 80
eClass	V11.0 : 27143141

## Kategorien

Niederspannungsprodukte und Systeme → Haus- und Gebäudeautomation → KNX → Bedienen → Busch-tacteo® → Zimmernummern und Flursensoren

