


## Halogen Standard 75/70 W 24 V P43t



## **Product family benefits**

- Powerful light output
- Suitable for the most common 24 V headlights
- Reliable manufacturer
- Affordable
- Reliable products

## **Product family features**

- Vibration-resistant
- Designed specifically for 24 V
- ECE certified lamps
- Good and reliable quality thanks to German technology
- Durable

## Areas of application


Headlight

\_\_\_\_



Electrical data Power input Test voltage		
Test voltage		
	85 W	
	28.0 V	
Nominal wattage	75/70 W	
Nominal voltage	24.0 V	
Photometrical data		
Luminous flux	1900/1200 lm	
Luminous flux tolerance	±15 %	
Dimensions & weight		
Product weight	23.00 g	
Length	82.0 mm	
Diameter	17.0 mm	
Lifespan		
Lifespan Tc	400 h	
Lifespan B3	170 h	
Additional product data		
Base (standard designation)	P43t	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	H4	
British standard	475	
Logistical data	N475	
Order reference	N475	
Environmental information		
Date of Declaration	29-04-2022	
Primary Article Identifier	4006584097135   4008321756848   4006584768875   4055462154101   4052899995871   5011274047504   5011274323073	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N475	4008321756848	Folding box	1





NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com