

# PRODUCT DATASHEET LS AY -PM03/E/19X19/10/1

Medium Profiles for LED Strips | Medium Profiles for LED Strips



# Areas of application

- General indoor illumination

## **Product benefits**

- Robust aluminum profile
- Quick and simple installation

## **TECHNICAL DATA**

## Dimensions & Weight

Length	1000 mm
Width	19.0 mm
Height	19.0 mm
Product weight	290.00 g

#### Colors & materials

Product color	Grey

## Temperatures & operating conditions

Ambient temperature range	-15+45 °C	
Temperature range in operation	-15+45 °C	

## Additional product data

Product remark	Can be combined with SUPERIOR UNPROTECTED Strips / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips / Cannot be combined with PERFORMANCE PROTECTED Strips / Can be combined with VALUE UNPROTECTED Strips / Cannot be combined with VALUE PROTECTED Strips
	THO LEGILD Guipo

## LOGISTICAL DATA

## Accessories Optional

Product image	Product name	EAN
	LS AY -PC/P01/C/1	4058075402195
	LS AY -PM03/EC/H	4058075277908
	LS AY -PM03/MB	4058075276949
	LS AY -PM03/EC	4058075277878

Product image	Product name	EAN
	LS AY -PC/P01/D/1	4058075279339

## DOWNLOAD DATA

Documents and certificates		Document name	
PDF	Declarations of conformity	LS AY PM_PF_PW_PC	

Tender texts	Document name
Tender documents	Medium Profiles for LED Strips PM03E19X19101-EN

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075278370	BAG 1	1,200 mm x 50 mm x 5 mm	291.00 g	0.30 dm <sup>3</sup>
4058075278387	Bundle 10	500 mm x 55 mm x 50 mm	2910.00 g	1.38 dm <sup>3</sup>
4058075278394	Shipping box 50	1,030 mm x 220 mm x 130 mm	15177.00 g	29.46 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.