## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: PHILIPS

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

**Model identifier:** 8718291158776

Networked standby power (P<sub>net</sub>)

for CLS, expressed in W and rounded to the second decimal

Height

Width

Depth

Outer

without

dimensions

Type of light source:			
Lighting technology used:	MH	Non-directional or directional:	NDLS
Light source cap-type	E40		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	Non-clear
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
	Product para	meters	
Parameter	Value	Parameter	Value
	General product	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	95	Energy efficiency class	F
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	9 400 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 800
On-mode power (P <sub>on</sub> ), expressed in W	95,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the	0,00

second decimal

index, rounded to

the nearest integer, or the range of CRIvalues that can be

distribution in the

Colour

set

Spectral

186

76

76

rendering

power

87

See image

in last page

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,447 0,400

(a)'-': not applicable; (b)'-': not applicable;

