

PRODUCT DATASHEET 64328 HLX-A 65-15

Halogen lamps, current-controlled with PK30d base | Halogen lamps, current-controlled with PK30d base



TECHNICAL DATA

Electrical data

Nominal wattage	65 W
Construction wattage	65.00 W
Nominal voltage	9.8 V
Nominal current	6.6 A

Photometrical data

Luminous flux	1450 lm
Luminous efficacy	22 lm/W
Color temperature	3050 K
Light color	30

Dimensions & Weight

Overall length	48.00 mm	
Length with base excl. base pins/connection	36,00 mm	
Light center length (LCL)	20,0 mm	
Diameter	13,5 mm	
Product weight	14.5 g	

Lifespan

Additional product data

Base (standard designation)	PK30d
Mercury content	0.0 mg

Capabilities

Burning position s90

Country-specific categorizations

Order reference	64328 HLX
-----------------	-----------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	PK30d
Length	48.00 mm
Height	13,5 mm
Width	13,5 mm

Safety advice

- To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

DOWNLOAD DATA

	DOWNLOAD DATA
PDF	PRODUCT DATASHEET
PDF	Advertisements

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321345592	Folding box 1	71 mm x 33 mm x 37 mm	20.50 g	0.09 dm³
4008321345608	Shipping box 100	341 mm x 154 mm x 191 mm	2241.00 g	10.03 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For more information on airfield lamps see the brochure: "The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.