

PRODUCT-DETAILS

TB/U4.4.1-CG

TB/U4.4.1-CG Control element 4g.



General Information	
Extended Product Type	TB/U4.4.1-CG
Product ID	2CKA006300A1541
EAN	4011395230756
Catalog Description	TB/U4.4.1-CG Control element 4g.
Long Description	Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely configurable multifunction control element. With integrated KNX bus coupler. With integrated temperature sensor. With integrated proximity function. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1

Installation

Instructions and Manuals No document needed

Technical	
Data Sheet, Technical Information	No document needed
Number of Buttons	4
Number of Actuation Points	4
Compatible Bus Systems	KNX (TP)
Product Range	KNX

TB/U4.4.1-CG 2

Design Range	tacteo
Mounting Type	Surface Mounted
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy
Material	Glass
Color	other
Number of Batteries	0
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control

Environmental	
Ambient Air Temperature	Operation -5 +45 °C
Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CKA200000E5453
REACH Declaration	2CKA309999E9999

Dimensions	
Product Net Weight	104.4 g
Built-In Depth (t ₂)	35 mm

Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	0.21 kg
Customs Tariff Number	85365080
E-Number (Finland)	2814635
E-Number (Sweden)	1739652
Country of Origin	Germany (DE)

Certificates and Declarations	
Declaration of Conformity - CE	2CKA100000E2526

Classifications	
ETIM 8	EC000672 - Touch sensor for bus system
ETIM 9	EC000672 - Touch sensor for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143138

Categories

TB/U4.4.1-CG 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB\ tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \$ \rightarrow 4\ fold\ Systems \rightarrow Building\ ABB\ Tacteo \ Systems \rightarrow Bui$





