

# LED G4

WOJ+13117

LED source LED G4 1,5 W in silicone cover. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in luminaires that have a G4 base.. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 270° ensures even illumination of the room.



Power	<b>1,5 W</b>	Voltage	<b>12 V</b>
Luminous flux**	<b>95 lm (360°)</b>	Colour temperature	<b>3000 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>270 °</b>
Socket	<b>G4</b>		

## Technical data

---

Code	WOJ+13117
Power	1,5 W
Nominal current	80 mA
Voltage	12 V
Energy efficiency class	G
Energy consumption	2 kWh/1000h
Frequency	50HZ Hz
Power factor	0,4
Useful luminous flux*	95 lm (360°)
Luminous flux**	95 lm (360°)
Lamp efficacy	63 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	G4
Dimension (AxBxC)	∅9,5x36 mm
For use	Inside
Application	INT
Made in	PRC

## Related documents

---



 Declaration of Conformity

---

