


PRODUCT-DETAILS

TY26M-2

CABLE TIE 40LB 11IN RED NYLON



Algemene informatie

Type	TY26M-2
Artikelnummer	7TAG009160R0025
EAN	5414363062806
Omschrijving	CABLE TIE 40LB 11IN RED NYLON
Omschrijving	Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 277mm (10.9 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 134 Newtons (30 Pounds), Bulk Pack

Ordering

EAN	5414363062806
UPC	786210844947
Land van herkomst	Hungary (HU)
Verkoopenheid van maat	each

Dimensions

Product netto breedte	0.14 in 3.6 mm
Product netto diepte	10.9 in 277 mm

Container Information

Pakketniveau 1 Units	1000 stuk
Pakketniveau 2 Units	10000 stuk
Pakketniveau 2 Breedte	14 in 356 mm
Pakketniveau 2 Hoogte	9.7 in 246 mm
Pakketniveau 2 Lengte	21 in 533 mm

Technical UL/CSA

Ontvlambaarheid volgens UL94	V-2
------------------------------	-----

Additional Information

Merk / Label	Ty-Rap
Bundeldiameter	0.08 to 2.99 in 2 to 76 mm
Kleur	Red
Ingangsdatum	19921209
Type slot	Stainless Steel Barb
Productnaam	NYLON CABLE TIES AND ACCESSORIES
Producttype	High Performance
Speciale functies	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Normen	UL E49405
Treksterkte	30 lb 134 N
Dikte	0.04 in 1.0 mm

Certificates and Declarations

Gegevensblad, technische informatie	TDS000566
Conformiteitsverklaring - CE	9AKK107492A9841

Classifications

ETIM 6	EC000046 - Kabelbundelband
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Kabelbundelband
UNSPSC	39121703
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	5034 >> Cable ties

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Kabelbinders

