

PRODUCT-DETAILS

# ZLS905E80-3LNLALB

## ZLS905E80-3LNLALB Starter pack



### General Information

Extended Product Type	ZLS905E80-3LNLALB
Product ID	2CCA183223R0001
EAN	7612271417499
Catalog Description	ZLS905E80-3LNLALB Starter pack
Long Description	Starter pack Touch proof with 80 Modules L1,L2,L3 N LA,LB Pluggable socket system SMISSLINE TP is completely fingersafe (IP2XB) together with the socket end piece

### Technical

Standards	IEC/EN 61439-6
Rated Operational Voltage	690 V AC 1000 V DC
Rated Current (I <sub>n</sub> )	125 A
Surface Finishing	Tinned
Options Provided	3LNLALB
Model Number	Flat

### Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107991A9646
Environmental	9AKK108467A9561

## Information

Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
---	-----------------

---

**Dimensions**

Product Net Width	111 mm
Product Net Height	1482 mm
Product Net Depth / Length	34 mm
Product Net Weight	2812 g
Dimension Diagram	9AKK107492A6192

---

**Ordering**

Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	3122 g
E-Number (Sweden)	2100368
E-Number (Switzerland)	809997900

---

**Certificates and Declarations**

Declaration of Conformity - CE	9AKK107991A9646
--------------------------------	-----------------

---

**Installation**

Instructions and Manuals	9AKK107680A2315
--------------------------	-----------------

---

**Popular Downloads**

Data Sheet, Technical Information	9AKK107492A6192
-----------------------------------	-----------------

---

**Classifications**

ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389030
eClass	V11.0 : 27370303
Object Classification Code	W

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems → Plug-in Distribution Systems Accessories → Accessories for Plug-in Distribution Systems 125A

