

PRODUCT-DETAILS

Q843E812 Q843E812 Cabinet, 1249 mm x 816 mm x 250 mm



General Information	
Extended Product Type	Q843E812
Product ID	1SZE430801B0200
EAN	5411815219504
Catalog Description	Q843E812 Cabinet, 1249 mm x 816 mm x 250 mm
Long Description	Wallcabinet Extention, Type System pro E energy L, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP43 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperataly, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 1200 x 800 (816) x 250, No.Mod.DIN 288 (H=150 mm), prepared for extention side-by-side, prepared for interrior fitting System pro E energy Combi (up to 800A)

Technical	
Material	Steel
RAL Number	RAL 7035 - Light Grey
Color	Grey
Number of Batteries	0

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	1STC860120 9AKK108467A5062

Q843E812 2

REACH Declaration	1STE000078
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	
Dimensions	
Product Net Width	816 mm
Product Net Height	1249 mm
Product Net Depth / Length	250 mm
Product Net Weight	23.069 kg
Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	25.075 kg
Certificates and Declarations	
Declaration of Conformity - CE	1STC860120
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	No document needed
Classifications	
ETIM 8	EC002524 - Side-/back panel (enclosure/cabinet)
ETIM 9	EC002524 - Side-/back panel (enclosure/cabinet)
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27182101
Object Classification Code	U

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Enclosures\ \rightarrow\ Sub\ Distribution\ Boards\ \rightarrow\ System\ pro\ E\ energy\ Low\ Formula \ Formula \$

Q843E812 3





