

Junction Box

Abox-i 160-16²



Abox-i 160-16²

Junction Box

CUSTOMIZABLE

Productnumber: 49041601

Dimensions: 180 x 180 x 91 mm

Junction Box, with protection class IP65, Nominal cross-section 16 mm², U_i=690V AC, certified according to VDE (DIN EN 60670-1/-22 (VDE 0606-1/-22)), DLG (Ammonia resistance), DNV (Class: Ships and Offshore Installations), Push-out membranes, M20/M25/M32/M40, (2 Rear, 10 Side), Internal fastening points, for installations in the industrial arena and protected outside areas

grey, with high-set screw terminal, 5-pole - 16 mm² (4 x 6² / 4 x 10² / 4 x 16²)

**Accessories supplied:
1 Sealing kit**



Technical Data

electrical characteristics

Rated insulation voltage AC:	690 V
Max. conductor cross section:	16 mm ²
Protection class:	II
Type of protection:	IP65
UL Type Rating:	not specified

Colours

Base unit colour:	grey
Cover colour:	grey

Dimensions

Width:	180 mm
Length:	180 mm
Height:	91 mm

Material characteristics

suitable for exterior use:	yes
Industry quality:	yes
Halogen free:	yes
Flammability class according with UL94:	V2
Glow-wire flammability according to EN 60695-2-11:	960 °C

mechanical properties

Type of fastening:	Wall/ceiling mounting
Impact strength:	IK08
Sealable:	yes
Cover screw torque:	1.7 Nm

Ambient conditions

max. relative humidity 25°C:	95 %
max. relative humidity 40°C:	50 %
Min. ambient temperature:	-35 °C
Max. ambient temperature:	80 °C
24h ambient temperature:	60 °C

Material

Base unit material:	Polycarbonate
Cover material:	Polycarbonate, glass-fibre reinforced
Sealing material:	Polyurethane
Cover screw material:	Stainless steel V2A

Certificates

Test mark:	VDE (DIN EN 60670-1/-22 (VDE 0606-1/-22))
Test mark:	DLG (Ammonia resistance)
Test mark:	DNV (Class: Ships and Offshore Installations)

Accessories

[22742101 - KVR M20-GDB/MGM - Cable gland](#)

[22742501 - KVR M25-MGM - Cable gland](#)

[22743201 - KVR M32-MGM - Cable gland](#)

[22744001 - KVR M40-MGM - Cable gland](#)

[26012001 - DMS M20/w - Double-membrane seals](#)

[26012501 - DMS M25/w - Double-membrane seals](#)

[26042001 - DMS M20 - Double-membrane seals](#)

[26042501 - DMS M25 - Double-membrane seals](#)

[26043201 - DMS M32 - Double-membrane seals](#)

[26044001 - DMS M40 - Double-membrane seals](#)

[19202001 - KS M20 - Combi set](#)

[84001601 - Abox 160 KLS-16² - Terminal block](#)

[89401601 - NS35-144/2 - Standard rail](#)

[89501601 - Abox 160 MPI - Mounting plate](#)

Cable gland

