

PRODUCT DATASHEET Decor Camel Bell Pendant 3XE14 White

Decor Camel Bell | Decorative luminaires made of papier-mâché with E14 and E27 sockets



Areas of application

- Indoor applications

- Corridors, entrance areas, stairwells, living rooms, basements

Product benefits

- Timeless design
- Luminaire family with a consistent style
- Lampshade made of recycled materials
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal and papier-mâché
- Dimmable by inline switch (only floor and table luminaire)
- Textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	11
Operating mode	Mains voltage

Dimensions & Weight

Diameter	437.00 mm
Height	1605.00 mm
Product weight	1420.00 g



Materials & Colors

Product color	White
Housing color	White
Body material	Paper mache Steel

Application & Mounting

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP20
Dimmable	No
Mounting type	Suspended
Application environment	Indoor
With light source	No

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Number of illuminants

3

Safety advice

- All electrical connections must be made by a qualified person.

- Caution, risk of electric shock.

- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates	Document name	
POF	User instruction / safety instructions	UI DECOR PENDANT 3XE14	
POF	Legal information	Legal insert luminaires without light source	
PDF	Declarations of conformity	DECOR LUM	
PDF	Declarations of conformity UKCA	DECOR LUM	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075837768	Folding box 1	312 mm x 312 mm x 283 mm	1778.00 g	27.55 dm ³
4058075837775	Shipping box 2	634 mm x 324 mm x 298 mm	4321.00 g	61.21 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

PRODUCT DATASHEET