

PRODUCT-DETAILS

P9MSCD0A37

P9MSCD0A37 Key Operated Selector Switch



Algemene informatie

Type	P9MSCD0A37
Artikelnummer	1SFA192117R9006
EAN	7320500523551
Omschrijving	P9MSCD0A37 Key Operated Selector Switch
Omschrijving	<p>The P9MSCD0A37 Key Operated Selector Switch is: Modular metal - Key Operated Selector Switch - 2-position - Maintained - Key - Black/Key=red - Non-illuminated - Satin Chrome Metal</p> <p>This Key Operated Selector Switch is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.</p>

Ordering

Minimale bestelhoeveelheid	10 stuk
Nummer douanetarief	8536501990

Popular Downloads

Gegevensblad, technische informatie	1SFC151007C02__
Instructies en handleidingen	1SFC151011M0201

Dimensions

Product netto breedte	29.7 mm
Product netto hoogte	44.5 mm
Product netto diepte	72.9 mm
Product netto gewicht	0.133 kg

Technical

Omgevingsluchttemperatuur	Werking -30 ... 70 °C Opslag -40 ... +70 °C
Kleur	Black/Key=red
Bedieningswijze	Key
Bezelmateriaal	Satin Chrome Metal
Verlichting	Non-illuminated
Functie	Maintained
Subfunctie	2-position
Subfunctie 2	CAM D
Onderhouden posities	A, C
Sleutelposities verwijderen	Position A Only
Sleutelcode	Key code 37
Beschermingsgraad	Front IP66
Beschermingsgraad (NEMA)	Type1 Type12 Type13 Type3 Type3R Type3S Type4 Type4X

Environmental

RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS-informatie	2CMT2019-005862
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
AEEA B2C / B2B	Business To Business

Certificates and Declarations

BV-certificaat	2CMT2019-005867
CB-certificaat	2CMT2019-005872
CSA-certificaat	2CMT2019-005868
Conformiteitsverklaring - CE	2CMT2019-005862
Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL-certificaat	2CMT2019-005876
RINA-certificaat	2CMT2019-005866
UL-certificaat	2CMT2019-005868

Container Information

Pakketniveau 1 Units	doos 1 stuk
Pakketniveau 1 Breedte	41 mm

Pakketniveau 1 Lengte	113 mm
Pakketniveau 1 Hoogte	41 mm
Pakketniveau 1 Brutogewicht	0.133 kg
Pakketniveau 1 EAN	7320500523551

Classifications

ETIM 7	EC000222 - Front element for selector switch
ETIM 8	EC000222 - Keuzeschakelaar frontelement
eClass	V11.0 : 27371213
UNSPSC	39122217
IGCC (IDEA granulaire categoriecodel)	5215 >> Selector Switch Complete Assemblies
E-Number (Finland)	2307588

Categorieën

Laagspanningsproducten en -systemen → Control Producten → Drukknoppen → Modular Metal Range P9M → P9M Selector Switches

