## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: PHILIPS

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

## **Model identifier:** 8711500544964

## Type of light source:

Lighting technology used:	other FL	Non-directional or directional:	NDLS		
Light source cap-type	G13				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

Flouder parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
0,	nption in on- 00 h), rounded st integer	18	Energy efficiency class	G		
indicating if it re in a sphere (36	us flux (фuse), efers to the flux 50º), in a wide n a narrow cone	1 300 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000		
On-mode p expressed in W	oower (P <sub>on</sub> ),	18,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
	dby power (P <sub>net</sub> ) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	82		
Outer dimensions without	Height	604	Spectral power	See image		
	Width	28	distribution in the	in last page		
	Depth	28	1	Page 1 / 3		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	-	lf yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,380 0,380

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

