

PRODUCT DATASHEET DEL HO HPF 65 W/865 E27

OSRAM DULUX® EL HO HPF | CFL with integrated power supply



Areas of application

- General illumination
- High-quality domestic and professional environments
- Outdoor use in enclosed and ventilated luminaires only

Product features

- Available in 2 light colors: 827 and 865
- Average life: 10,000 h
- Good quality of light; color rendering index R_a : \geq 80; constant chromaticity




TECHNICAL DATA

Electrical data

Nominal wattage	65 W
Construction wattage	65.00 W
Nominal voltage	230 V
Operating frequency	5060 Hz
Mains frequency	5060 Hz

Photometrical data

Luminous flux	4000 lm
Luminous efficacy	62 lm/W
Light color (designation)	Daylight
Color temperature	6500 K
Color rendering index Ra	8089
Light color	865



Dimensions & Weight

C	Overall length	249.00 mm
D	Diameter	90,0 mm
Р	roduct weight	317.00 g

Temperatures & operating conditions

Ambient temperature range -20	20+50 °C
-------------------------------	----------

Additional product data

Base (standard designation)	E27	
Mercury content	3.0 mg	
Mercury-free	No	

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

ILCOS	FB-65/865-220/240-E27
Order reference	DULUX EL 65W/86

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	249.00 mm
Height	90,0 mm
Width	90,0 mm

DOWNLOAD DATA

Photometric and lighting design files



Spectral power distribution

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321252869	Folding box 1	113 mm x 113 mm x 275 mm	446.00 g	3.51 dm ³
4008321252876	Shipping box 6	356 mm x 240 mm x 290 mm	2985.00 g	24.78 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.