



MASTER GLASS LED candles and lusters

MAS LEDLusterDT3.4-40W E14 927 P45CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lusters with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cozy atmosphere. The MASTER LED candles and lusters can be dimmed for different lumen level and also for the different color temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED and provides excellent quality of light. By offering a lifetime of 25,000 hours it reduces maintenance costs.

Product data

General Information	
Cap-Base	E14 [E14]
CE mark	Yes
EU RoHS compliant	Yes
Nominal lifetime	25,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
Brand	Philips
Light Technical	
Color Code	922-927 [CCT of 2200K-2700K]
Luminous Flux	470 lumen
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2200 2700 K
Luminous Efficacy (rated) (Nom)	138 lm/W
Color Consistency	<6

90
70 %
50 to 60 Hz
50 to 60 Hz
3.4 W
24 mA
40 W
0.5 s
0.5 s
0.6
220-240 V
-20 °C to 45 °C


Datasheet, 2023, April 17 data subject to change

MASTER GLASS LED candles and lusters

T-Case Maximum (Nom)	70 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	P45 [P 45mm]
Approval and Application	
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	1,109,144


Product Data		
Full product code	871951444951000	
Order product name	MAS LEDLusterDT3.4-40W E14 927 P45CL G	
Order code	929003013182	
Numerator - Quantity Per Pack	1	
Numerator - Packs per outer box	10	
Material number (12NC)	929003013182	
Net weight	0.014 kg	
Full product name	MAS LEDLusterDT3.4-40W E14 927 P45CL G	
EAN/UPC - Case	8719514449527	


Dimensional drawing



Product	D	С
MAS LEDLusterDT3.4-40W E14 927 P45CL G	45 mm	80 mm

Photometric data






Spectral Power Distribution Colour - MAS LEDLusterDT3.4-40W E14 927 P45CL G

Light Distribution Diagram - MAS LEDLusterDT3.4-40W E14 927 P45CL G


MASTER GLASS LED candles and lusters


Photometric data



Catoulus Photographics 4.5 Philips Lighting B.V. Pages 17

Lifetime





Life Expectancy Diagram - MAS LEDLusterDT3.4-40W E14 927 P45CL G

Lumen Maintenance Diagram - MAS LEDLusterDT3.4-40W E14 927 P45CL G



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.