


PRODUCT-DETAILS

Q843B416 Q843B416 Cabinet, 1649 mm x 384 mm x 250 mm



Technical	
Power Loss	Δt = 25K 51 W
	$\Delta t = 30K73W$
	$\Delta t = 35K97W$
	Δt = 40K 121 W
Material	Steel
RAL Number	RAL 7035 - Light Grey

2

Color Number of Batteries	Grey
number of Batteries	0
Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	1STC860120 9AKK108467A5062
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Dimensions	
Product Net Width	384 mm
Product Net Height	1649 mm
Product Net Depth / Length	250 mm
Product Net Weight	28.12 kg
Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	30.565 kg
Certificates and Declarations	
Declaration of Conformity - CE	1STC860120
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	No document needed
Building Information Modeling – BIM	9AKK107680A9002
Classifications	
ETIM 8	EC002524 - Side-/back panel (enclosure/cabinet)
ЕТІМ 9	EC002524 - Side-/back panel (enclosure/cabinet)
© 2023 ABB. All rights reserved.	2023/09/04 Subject to change

Q843B416 3

WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27182101
Object Classification Code	U

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Enclosures\ \rightarrow\ Sub\ Distribution\ Boards\ \rightarrow\ System\ pro\ E\ energy\ L$





