

# LED CANDLE

WOJ+14069



See  
more

LED source LED CANDLE 4 W with E-14 base and with a 'candle' shape'. It is characterised by a high light efficacy 100 lm/W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Wide beam angle 300° ensures even illumination of the room.



Power	<b>4 W</b>	Voltage	<b>230 V</b>
Luminous flux**	<b>400 lm (360°)</b>	Colour temperature	<b>2700 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>300 °</b>
Socket	<b>E14</b>		

## Technical data

---

Code	WOJ+14069
Power	4 W
Nominal current	40 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	4 kWh/1000h
Frequency	50HZ Hz
Power factor	0,5
Useful luminous flux*	400 lm (360°)
Luminous flux**	400 lm (360°)
Lamp efficacy	100 lm/W
Colour temperature	2700 K
Colour of light	WW
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E14
Dimension (AxBxC)	35x97 mm
For use	Inside
Application	INT
Made in	PRC

## Related documents

---



 Declaration of Conformity

---

