

PRODUCT-DETAILS

# E6H/E/f/MS50004pFHR1000VDCnew

## E6H/E/f/MS 5000 4p F HR 1000V DC new



### General Information

Extended Product Type	E6H/E/f/MS50004pFHR1000VDCnew
Product ID	1SDA058923R1
EAN	8015644612764
Catalog Description	E6H/E/f/MS 5000 4p F HR 1000V DC new
Long Description	SACE EMAX C.BREAKER SWITCH-DISCONNECTOR E6H/E/f MS 5000A 1000V DC FULL SIZE NEUTRAL FOUR-POLE FIXED WITH TERMINALES REAR HORIZONTAL NEW

### Circular Value

Conflict Minerals Reporting Template (CMRT)	Document availability on demand
Toxic Substances Control Act - TSCA	9AKK108467A8326

### Environmental

Environmental Information	9AKK10103A6076
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

### Ordering

EAN	8015644612764
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

### Dimensions

Product Net Width	1034 mm
Product Net Height	418 mm
Product Net Depth / Length	302 mm
Product Net Weight	135 kg

### Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	600 mm
Package Level 1 Depth / Length	1257 mm
Package Level 1 Gross Weight	161 kg
Package Level 1 EAN	8015644609139

### Additional Information

Current Type	DC
Electrical Durability	3000 cycle 10 cycles per hour
Mechanical Durability	12000 cycle 60 cycles per hour
Number of Poles	4 / f
Power Loss	415 W
Product Main Type	SACE Emax
Product Name	Switch Disconnecter
Product Type	Switch-disconnector
Rated Current ( $I_n$ )	5000 A
Rated Voltage ( $U_r$ )	1000 V
Rated Impulse Withstand Voltage ( $U_{imp}$ )	12 kV
Rated Insulation Voltage ( $U_i$ )	1000 V
Rated Operational Current ( $I_e$ )	5000 A
Rated Operational Voltage	1000 V DC
Rated Short-time Withstand Current Low Voltage ( $I_{cw}$ )	for 1 s 65 kA
Rated Uninterrupted Current ( $I_u$ )	5000 A
Short-Circuit Performance Level	H
Standards	IEC
Sub-type	E6
Terminal Connection Type	Fixed Circuit-Breakers Rear flat Horizontal
Version	F

### Certificates and Declarations

Data Sheet, Technical	1SDC200012D0202
-----------------------	-----------------

## Information

Declaration of Conformity - CE	1SDL000165R0017
Instructions and Manuals	1SDH000635R0002

---

**Classifications**

---

ETIM 7	EC000216 - Switch disconnecter
ETIM 8	EC000216 - Switch disconnecter
ETIM 9	EC000216 - Switch disconnecter (low voltage)
Object Classification Code	Q
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27371403

---

**Categories**

---

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax

