

PRODUCT-DETAILS

MP4-21Y

MP4-21Y Pushbutton



| Extended Product Type | MP4-21\ |
|-----------------------|--|
| Product ID | 1SFA611103R2103 |
| EAN | 7320500273807 |
| Catalog Description | MP4-21Y Pushbuttor |
| Long Description | The MP4-21Y Pushbutton is: Maintained - Extended - Yellow - Illuminated - Chrome Plastic - No contact block This Pushbutton is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application |

| Ordering | |
|------------------------|------------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 8536501999 |
| | |

| Popular Downloads | _ |
|-----------------------|-----------------|
| Data Sheet, Technical | 1SFC151007C02 |
| Information | |
| Instructions and | 1SFC151011M0201 |

Manuals

| Dimensions | |
|----------------------------|----------|
| Product Net Width | 0.029 m |
| Product Net Height | 0.029 m |
| Product Net Depth / Length | 0.039 m |
| Product Net Weight | 0.013 kg |

| Technical | |
|-----------------------|----------------------|
| Ambient Air | Operation -25 +70 °C |
| Temperature | Storage -40 +85 °C |
| Color | Yellow |
| Actuator Type | Extended |
| Bezel Material | Chrome Plastic |
| Illumination | Illuminated |
| Function | Maintained |
| Degree of Protection | Front IP66 |
| Enclosure Type NEMA | Type1 |
| | Type12 |
| | Type13 |
| | Type3R |
| | Type4 |
| | Type4X |
| Mechanical Durability | 2 million |

| Environmental | |
|------------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 0635 4 |
| RoHS Information | 2CMT2015-005452 |
| WEEE Category | Product Not in WEEE Scope |

| Certificates and Declarations | |
|----------------------------------|-----------------|
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | E-14107 |

| Container Information | |
|-----------------------------------|---------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 0.135 m |
| Package Level 1 Depth / Length | 0.145 m |
| Package Level 1 Height | 0.035 m |
| Package Level 1 Gross Weight | 0.016 kg |
| Package Level 1 EAN | 7320500273807 |

MP4-21Y 3

| Classifications | |
|-------------------------------|--|
| Object Classification Code | S |
| ETIM 6 | EC000221 - Front element for push button |
| ETIM 7 | EC000221 - Front element for push button |
| ETIM 8 | EC000221 - Front element for push button |
| eClass | V11.0 : 27371210 |
| UNSPSC | 39121500 |

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Pilot Devices} \rightarrow \textbf{Modular Plastic Range}$

