


PRODUCT-DETAILS

EH3G96C2

EH3G96C2 EH3GD CABINET DIN0 AP 1125X676X541 SH



Informations générales

Extension du type de produit	EH3G96C2
Code de produit	4TBE843651C0100
EAN	5411815240737
Description courte	EH3G96C2 EH3GD CABINET DIN0 AP 1125X676X541 SH

Description longue

Cable distribution cabinet with large installation depth and profiled surface. They have a three-point lock with a swivelling lever handle for profile half cylinders. The cabinets are made of hot-pressed, glass-fibre reinforced polyester, dyed through in RAL 7035 light grey. They are corrosion-resistant and UV-resistant, making them suitable for outdoor use. The enclosures are suitable for ambient conditions from -35°C to +70°C. The open door can be easily disassembled by removing the hinge pins for optimal access to the cabinet. The door opening angle is greater than 180°. There are pressed-in core holes in the rear panel to accept M8 press-in nuts for mounting busbars, mounting frames or mounting plates. The enclosures are supplied with an open base, base plates are available as accessories. There are fixing points in the side panel for mounting horizontal busbars. The enclosures are designed for mounting on bases according to DIN 43629 with standard dimensions between the mounting points. EHG165 Cabinet AP size 0 1125X676X541

Technique

Type de montage	Floor installation
Finition de surface	Untreated
Qualité du matériau	Plastic
Style de cache	Closed
RAL Number	RAL 7035 - Gris clair
Couleur	Grey

Environnement

Indice de protection	IP44
Classe de protection	Isolated (Class II)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	CEN-CE19/562
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	0.676 m
Produit Hauteur Net	1.125 m
Produit Longueur Net	0.541 m
Poids net	33 kg
Profondeur d'encastrement (t ₂)	450 mm
Thickness	Cabinet Plate 25 mm Door Plate 25 mm

Commande

Quantité minimum	BX 1 pièce
Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	34.8 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	CEN-CE19/562
--------------------------------	--------------

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Popular Downloads

Fiche produit, informations techniques	No document needed
--	--------------------

Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
Catégorie DEEE	Product Not in WEEE Scope
DEEE B2C / B2B	Business To Business
eClass	V11.0 : 27142408

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux d'abonné encastrés IP40 → Pedestals → EH3 Pedestals

