PHILIPS Lighting

MASTER TL5 High Efficiency

MASTER TL5 HE 21W/830 SLV/40

This TL5 lamp (tube diameter 16 mm) has a high luminous efficacy, resulting in low energy consumption. The High Efficiency TL5 lamp offers excellent lumen maintenance and good color rendering. Application areas are offices, industry, public and governmental buildings, schools, hospitals and indoor sports lighting.

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Operating and Electrical	
Cap-Base	G5 [G5]	Power Consumption	20.8 W
Features	na [Not Applicable]	Lamp Current (Nom)	0.165 A
Flux measurement reference	Sphere		
		Controls and Dimming	
Light Technical		Dimmable	Yes
Color Code	830 [CCT of 3000K]		
Luminous Flux	1,900 lumen	Mechanical and Housing	
Color Designation	Warm White (WW)	Bulb Shape	T5 [16 mm (T5)]
Chromaticity Coordinate X (Nom)	0.44		
Chromaticity Coordinate Y (Nom)	0.403	Approval and Application	
Correlated Color Temperature (Nom)	3000 K	Mercury (Hg) Content (Nom)	1.2 mg
Luminous Efficacy (rated) (Nom)	90 lm/W	Energy Consumption kWh/1000 h	21 kWh
Color rendering index (CRI)	82	EPREL Registration Number	423,452

MASTER TL5 High Efficiency


Product Data				
Full product code	871150063942455			
Order product name	MASTER TL5 HE 21W/830 SLV/40			
Order code	927926283055			
Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	40			

Material number (12NC)	927926283055			
Full product name	MASTER TL5 HE 21W/830 SLV/40			
EAN/UPC - Case	8711500867544			

Dimensional drawing


Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL5 HE 21W/830	17 mm	849.0 mm	856.1 mm	853.7 mm	863.2 mm
SLV/40					
5217 10					

Photometric data




Spectral Power Distribution Colour - MASTER TL5 HE 21W/830 SLV/40

Lifetime







Life Expectancy Diagram - MASTER TL5 HE 21W/830 SLV/40

MASTER TL5 High Efficiency

Lifetime



Lumen Maintenance Diagram - MASTER TL5 HE 21W/830 SLV/40



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 15 - data subject to change