

PRODUCT-DETAILS

Q855B420

Q855B420 Cabinet, Rows: 13, 2049 mm x 396 mm x 250 mm, Grounded (Class I), IP55



Informations générales

Extension du type de produit	Q855B420
Code de produit	1SZE550800B0080
EAN	3800161600784
Description courte	Q855B420 Cabinet, Rows: 13, 2049 mm x 396 mm x 250 mm, Grounded (Class I), IP55
Description longue	Floor standing cabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 2000 x 400 (384) x 250, No.Mod.DIN 156 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A)

Technique

Courant nominal (I_n)	800 A
Power Loss	$\Delta t = 25K$ 67 W $\Delta t = 30K$ 96 W $\Delta t = 35K$ 126 W $\Delta t = 40K$ 158 W
Number of Flange Openings	2

Number of Rows	13
Cover Plate Type	Optional
Type de montage	Surface mounted (plaster)
Door Type	Single
Finition de surface	Powder coating
Qualité du matériau	Steel
RAL Number	RAL 7035 - Gris clair
Couleur	Grey
Nombre de batteries	0

Environnement

Indice de protection	IP55
Classe de protection	Grounded (Class I)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	1STC860120 9AKK108467A5062
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	12
Produit Largeur Net	396 mm
Produit Hauteur Net	2049 mm
Produit Longueur Net	250 mm
Poids net	25.74 kg
Profondeur d'encastrement (t ₂)	230 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm

Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	28.6 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	1STC860120
--------------------------------	------------

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Popular Downloads

Fiche produit, informations techniques	No document needed
--	--------------------

Building Information Modeling – BIM	9AKK107680A9001
-------------------------------------	-----------------

Classifications

ETIM 8	EC000058 - Empty cabinet
--------	--------------------------

ETIM 9	EC000058 - Empty cabinet
--------	--------------------------

Catégorie DEEE	Product Not in WEEE Scope
----------------	---------------------------

DEEE B2C / B2B	Business To Consumer
----------------	----------------------

CN8	85381000
-----	----------

eClass	V11.0 : 27142408
--------	------------------

Code de classification d'objet	U
--------------------------------	---

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Sub Distribution Boards → System pro E energy M

