
Product End of Life Instructions

CVS400F TM400D 3P3D





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	BOUCHON AVAL	0.29413	Plastic parts with brominated FR17
To be depolluted	2	HAMMER C2 TMD	1.6825	Plastic parts with brominated FR17
To be depolluted	3	BIMETAL CAP C2 TMD	1.79018	Plastic parts with brominated FR17

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Easypact CVS400 to 630 range of circuit breakers with Thermal-Magnetic trip unit technology is designed to guarantee the protection of all low-voltage electrical applications between 400 A and 630 A.
Product reference	LV540306
Total representative product mass	4700 g
Representative product dimensions	140mm x 255mm x 110mm
Accessories	No
Date of information release	09/2022

G Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No		
Recyclability potential	44%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).	

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323 F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI1603002_V2

Published by Schneider Electric © 2019 - Schneider Electric – All rights reserved

09/2022