



NEOLUX®

GERMAN TECHNOLOGY

Standard 10 W 24 V BA15s

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



N246

Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- Good quality thanks to German technology
- Normed light output

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N246

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical data

Power input	12.5 W
Test voltage	28.0 V
Power input tolerance	±10 %
Nominal wattage	10.00 W
Nominal voltage	24.0 V

Photometrical data

Luminous flux	125 lm
Luminous flux tolerance	±20 %

Dimensions & weight

Product weight	5.96 g
Length	36.0 mm
Diameter	16.0 mm

Lifespan

Lifespan Tc	225 h
Lifespan B3	80 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	R10W
British standard	246

Logistical data


Order reference	N246
-----------------	------

Environmental information

Date of Declaration	19-01-2022
Primary Article Identifier	4008321769275 4055462100948 4055462156389 5055175230078
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N246	4008321769275	Folding box	10



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com