

Standard 21 W 12 V BA15s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting






N382-02B

Electrical data		
Power input	25 W	
Test voltage	13.5 V	
Power input tolerance	±6 %	
Nominal wattage	21.00 W	
Nominal voltage	12.0 V	
Photometrical data		
Luminous flux	460 lm	
Luminous flux tolerance	±15 %	
Dimensions & weight		
Product weight	7.20 g	
Length	52.5 mm	
Diameter	27.0 mm	
Lifespan		
Lifespan Tc	320 h	
Lifespan B3	120 h	
Additional product data	D.445	
Base (standard designation)	BA15s	
Certificates & standards		
ECE category	P21W	
British standard	382	
Logistical data		
Order reference	N382	
Environmental information		
Date of Declaration	19-01-2022	
Primary Article Identifier	3348675000268	
	4006584594726	
	4008321770479	
	4008321770929 4008321781154	
	4008321812674 4055462033901	
	4055462052636	
	4055462079763	
	4055462300904	
	4055462347091	
Candidate List Substance 1	No declarable	
	substances contained	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N382	4008321770479	Folding box	10
N382-02B	4008321781154	Blister	2

Datasheet NEOLUX | 2023-02-21





www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020