



# MASTER LEDspot ExpertColor AR111



# MAS ExpertColor 14.8-75W 940 AR111 24D

MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates such an ambience with superior lighting that has a customized spectrum, high CRI, and deep dimming feature. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot MV and LEDspot Par lamps.

#### **Product data**

General Information	
Cap-Base	G53
Nominal lifetime	40,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
Light Technical	
Color Code	940 [CCT of 4000K]
Beam Angle (Nom)	24 degree(s)
Luminous Flux	950 lm
Luminous Intensity (Nom)	3,300 cd
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	64.00 lm/W
Color Consistency	<4
Color rendering index (CRI)	95
LLMF At End Of Nominal Lifetime (Nom)	70 %

Luminous Flux in 90° Cone (Rated)	950 lm	
Photobiological safety according to EN 62471 RG1		
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	14.8 W	
Lamp Current (Nom)	1,500 mA	
Wattage Equivalent	75 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.7	
Voltage (Nom)	ac electronic 12 V	
Temperature		
T-Case Maximum (Nom)	85 ℃	


Datasheet, 2025, March 17 data subject to change

# **MASTER LEDspot ExpertColor AR111**

Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	AR111
Net Weight (Piece)	0.160 kg
Approval and Application	
Energy Efficiency Class	G
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	15 kWh
EPREL Registration Number	648253
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes


Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	MAS ExpertColor 14.8-75W 940 AR111
	24D
Full product name	MAS ExpertColor 14.8-75W 940 AR111
	24D
Full product code	871951433387100
Order code	929003043002
Material Nr. (12NC)	929003043002
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514333871
Numerator - Packs per outer box	6
EAN/UPC - Case	8719514333888

## Dimensional drawing




Product	D	С
MAS ExpertColor 14.8-75W 940 AR111 24D	111 mm	61 mm

## Photometric data




Light Distribution Diagram - MAS ExpertColor 14.8-75W 940 AR111 24D



Spectral Power Distribution Colour - MAS ExpertColor 14.8-75W 940 AR111 24D

## **MASTER LEDspot ExpertColor AR111**


#### Photometric data




Cato, LoX Photometric 4.5 Philips Lighting ScV. Fago: 171

Accent Lighting Spots - MAS ExpertColor 14.8-75W 940 AR111 24D

#### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - MAS ExpertColor 14.8-75W 940 AR111 24D



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.