

# PRODUCT DATASHEET

## Panel Essential 600x600mm Surface Frame

Essentials Panel | Essential Panels for basic user purposes



---

### Areas of application

- Living areas

---

### Product benefits

- Homogenous light distribution
- Easy and quick installation
- 2 in 1 Design: recessed mounting or surface mounting with add-on kit
- Surface mounting frame for 60 x 60 Panel for Screwless mounting

---

### Product features

- Wall and ceiling luminaire
- Recess panel can be used as a surface panel when frame set is bought separately




## TECHNICAL DATA

### Photometrical data

Flickering metric (Pst LM)	
Stroboscope effect metric (SVM)	

### Dimensions & Weight

Length	600.00 mm
Width	600.00 mm
Height	50.0 mm
Product weight	580.00 g



PANELESSENTIAL60SURFACEFRAMEmnk

### Materials & Colors

Product color	White
Body material	Aluminium

### Application & Mounting

Ambient temperature range	-20...+40 °C
Type of protection	IP20
Mounting type	Surface mounting

### Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No



## EQUIPMENT / ACCESSORIES

- Driver included
- For recessed mounting (surface or pendant mounting requires mounting accessories)

## Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- The luminaires are not suitable for covering with thermally insulated material.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.

## DOWNLOAD DATA

Documents and certificates	Document name
 Declarations of conformity	CE Declaration PANEL ESSENTIAL 60 SURFACE FRAME
 Declarations of conformity UKCA	PANEL ESSENTIAL 60 SURFACE FRAME

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854003097	Folding box 1	625 mm x 58 mm x 54 mm	641.00 g	1.96 dm <sup>3</sup>
4099854003103	Shipping box 10	635 mm x 305 mm x 145 mm	7009.00 g	28.08 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.