

Lighting

PHILIPS

MASTER TL-D Super 80

MASTER TL-D Super 80 18W/827 1SL/25

The MASTER TL-D Super 80 lamp offers more lumens per watt and better color rendering than TL-D standard colors. Furthermore, it has a lower mercury content. The lamp can be operated in existing TL-D luminaires.

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Lamp Current (Nom)	0.360 A
Cap-Base	G13 [Medium Bi-Pin Fluorescent]		
Flux measurement reference	Sphere	Controls and Dimming	
		Dimmable	Yes
Light Technical			
Color Code	827 [CCT of 2700K]	Mechanical and Housing	
Luminous Flux	1,350 lumen	Bulb Shape	T8 [26 mm (T8)]
Color Designation	Incandescent White		
Chromaticity Coordinate X (Nom)	0.463	Approval and Application	
Chromaticity Coordinate Y (Nom)	0.42	Mercury (Hg) Content (Nom)	1.7 mg
Correlated Color Temperature (Nom)	2700 K	Energy Consumption kWh/1000 h	19 kWh
Luminous Efficacy (rated) (Nom)	75 lm/W	EPREL Registration Number	423,358
Color rendering index (CRI)	82		
		Product Data	
Operating and Electrical		Full product code	871150063162640
Power Consumption	18.2 W	Order product name	MASTER TL-D Super 80 18W/827 1SL/25
		Order code	927920082723


MASTER TL-D Super 80

Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	25			
Material number (12NC)	927920082723			
Full product name	MASTER TL-D Super 80 18W/827 1SL/25			


EAN/UPC - Case	8711500631633	

Dimensional drawing

Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Super 80 18W/827	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm
1SL/25					




Photometric data




Spectral Power Distribution Colour - MASTER TL-D Super 80 18W/827 1SL/25

Lifetime








Life Expectancy Diagram - MASTER TL-D Super 80 18W/827 1SL/25

MASTER TL-D Super 80

Lifetime



Lumen Maintenance Diagram - MASTER TL-D Super 80 18W/827 1SL/25



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 16 - data subject to change